





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 50-32-160/50-32-200





● 65-40-200/65-40-250





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 65-40-315/65-50-160





● 80-50-200/80-50-250





ТЕХНИЧЕСКИЕ ДАННЫЕ

80-50-315/80-65-160





● 100-65-200/100-65-250





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 100-65-315/100-80-160





● 125-100-200/125-100-250





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 125-100-315/50-32-160





● 50-32-200/65-40-200





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 65-40-250/65-40-315





● 65-50-160/80-50-200





ТЕХНИЧЕСКИЕ ДАННЫЕ

80-50-250/80-50-315





● 80-65-160/100-65-200





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 100-65-250/100-65-315





● 100-80-160/125-100-200





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 125-100-250/125-100-315





● 125-80-400/125-100-400





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 150-125-250/150-125-315





● 150-125-400/200-150-315





ТЕХНИЧЕСКИЕ ДАННЫЕ

● 200-150-400/250-200-315





● 250-200-400/300-250-315(Q)



ТЕХНИЧЕСКИЕ ДАННЫЕ

● 300-250-315/300-250-400(Q)



● 300-250-400

